


Rev	AWO #	Description	Date	Appr
-		RELEASED	9/10/04	

APPROVED: _____ TITLE: _____
 DATE: _____

EMI FILTERED D-SUB ATTENUATION GRAPH

25 POSITION



XC-	1	5	10	25	30	40	50	100	200
XL-	4	14	18	22	24	26	27	35	55
R-	0.309	8.4	15	26	29	33	36	46	59


XC-	300	400	500	600	700	800	900	1000
XL-	81	115	147	65	0.983	0.762	0.851	0.986
R-	79	119	210	394	356	150	65	34

XC=CAPACITANCE

XL=INDUCTIVE REACTION

R=IMPEDANCE

37 POSITION



XC-	1	5	10	25	30	40	50	100	200
XL-	4.9	16	20	25	27	28	30	36	53
R-	0.45	8.4	15	26	29	33	36	46	59

XC-	300	400	500	600	700	800	900	1000
XL-	76	105	122	29	1.082	0.814	0.879	1
R-	80	122	224	424	332	131	56	29

ADAM TECH

909 Rahway Avenue, Union, NJ 07083
 Phone: 908-687-5000 Fax: 908-687-5710

TITLE: FILTERED D-SUB ATTENUATION CURVES
 25 AND 37 POSITION

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE INCHES [MM]		TOLERANCES: EXCEPT AS NOTED	
INCHES		HOLES	
.X ± .10	ØX ± .10		
.XX ± .020	ØXX ± .015		
.XXX ± .015	ØXXX ± .010		
APPROVALS	DATE		
DRAWN	SS	9/10/04	
CHECKED			
APPROVED			
SIZE	PART NO.	REV.	
X	EMI D-SUB ATTENUATION	-	
REF:	SCALE: NTS	SHEET 2 OF 2	

6

5

4

3

2

1