




Rev	AWO #	Description	Date	Appr
-	10050	RELEASED	2/12/10	

APPROVED: _____
 DATE: _____ TITLE: _____



BODY	ZINC	NICKEL
CENTER CONTACT	BERYLLIUM COPPER	GOLD
INSULATOR	TEFLON	NONE
SHELL	PURE COPPER	TIN
BODY 1	BERYLLIUM COPPER	TIN
DESCRIPTION	MATERIAL	FINISH

SPECIFICATIONS:

Electrical:
 Nominal Impedance: 75 ohms
 Frequency range: 0-4 GHz
 Working Voltage: 500 VRMS max.
 Dielectric Withstanding Voltage: 1500 VRMS min.
 Contact Resistance: 3 Milliohms max. (Center Contact)
 2 Milliohms max. (Outer Contact)
 Insulator Resistance: 5000 Megohms min.
 Environmental:
 Lead free, RoHS compliant.

UNLESS OTHERWISE SPECIFIED
 ALL DIMENSIONS ARE INCHES [MM]
 TOLERANCES: EXCEPT AS NOTED
 INCHES HOLES
 .X ±.10 Ø.X ±.10
 .XX ±.020 Ø.XXX ±.015
 .XXX ±.015 Ø.XXXX ±.010

ADAM TECH

909 Rahway Avenue, Union, NJ 07083
 Phone: 908-687-5000 Fax: 908-687-5710

BNC CONNECTOR

APPROVALS	DATE	TITLE	SIZE	PART NO.	REV.
DRAWN	DY	2/12/10	X	RF1-89-T-00-75	
CHECKED					
APPROVED					
REF:	S00049T	SCALE:	NTS	SHEET	1 OF 1

